

SJD

Parc Sanitari
Sant Joan de Déu



SJD

Sant Joan de Déu
Institut de Recerca

Healthcare technologies and results in primary care and mental health research group (PRISMA)

Coordinators

Dr. Antoni Serrano

Dra. Maria Rubio Valera

CIBER Epidemiología y Salud Pública (CIBERESP)

Parc Sanitari Sant Joan de Déu (PSSJD)

Institut de Recerca Sant Joan de Déu (IRSJD)

ciberesp
Centro de Investigación Biomédica en Red
Epidemiología y Salud Pública



@PRISMAresearch

redIAPP
Red de Investigación en Actividades Preventivas y Promoción de la Salud

Members

Parc Sanitari Sant Joan de Déu:

- **Antoni Serrano Blanco (MD, PhD)**
- **Maria Rubio Valera (PhD)**
- Enric Vicens i Pons (MD, PhD)
- Ignacio Aznar (PhD)
- Elisabeth Parody (PhD)
- Montserrat Gil (PhD)
- Luisa Baladón (MD)
- Cristina Carbonell
- Alba Sàncchez

Catalan Health Institute:

- Maria Teresa Peñarrubia (MD)
- Rita Fernández Vergel (MD)
- Ana María Jové (MD, PhD)
- Juan Manuel Mendive (MD, PhD)
- Xavier Blancafort (MD)
- Elena Blanco (MD)

Barcelona Public Health Agency:

- Ana Fernández Sánchez (PhD)

Barcelona University:

- Marian March Pujol (PhD)

Pompeu Fabra University:

- Ramon Sabés-Figuera (PhD)

Australian National University

- Luis Salvador Carulla (PhD)

Research Lines (1)

Effectiveness studies

- Effectiveness assessment of several health intervention focused on many topics:
 - Depression treatments
 - Depression and cardiovascular diseases primary prevention
 - Improving medication adherence in Primary Care

(Pharmaco)epidemiology and Real World Data

- Illness Prevalence and associated factors
- Medication non-adherence: Prevalence and consequences (clinical and economic)
- Post Authorization Safety Studies (PASS)
- Using RWD from Electronic Health System databases, public/private surveys.

Cost-effectiveness studies

- Economic evaluations on several topics (stroke, smoking cessation, chronic complex patient management)
 - Randomized Clinical trial using RWD or CRF
 - Economic models

Research Lines (2)

Cost and burden of disease studies

- Mental health
- Primary Care: Medication non-initiation

Qualitative Research

- Medication adherence barriers
- Healthy lifestyle barriers
- GP-Pharmaceutic collaboration barriers
- Health intervention design


Scientific evidence review

- Systematic reviews
- Meta-analyses

Ongoing projects

1. No iniciadores (ensayo clínico, Cardiovascular, Pediátrico)
2. Adherencia a antipsicóticos: prevalencia y costes
3. DESVELA
4. Vacunación de niños contra Citomegalovirus
5. Análisis territoriales de SM (Diputació de Barcelona)
6. Acompanya'm
7. Transición CSMIJ-CSMA
8. Telemedicina CoViD
9. EIC
10. Quali-PSP
11. SEFAC
12. OBERTAMENT

Networks



PHARMACOEPIDEMIOLOGY

Initial medication non-adherence: prevalence and predictive factors in a cohort of 1.6 million primary care patients

Correspondence Maria Rubio-Valera, Teaching, Research & Innovation Unit, Fundació Sant Joan de Déu, Esplugues de Llobregat, C/ Doctor Antoni Pujadas 42 08830, Sant Boi de Llobregat (Barcelona), Spain. Tel.: +34 9 3640 6350 (ext. 12546); Fax: +34 9 3652 0051; E-mail: mruib@pssjd.org

Bellón et al. BMC Psychiatry 2013, 13:171
<http://www.biomedcentral.com/1471-244X/13/171>

STUDY PROTOCOL

Open Access

Preventing the onset of major depression based on the level and profile of risk of primary care attendees: protocol of a cluster randomised trial (the predictD-CCRT study)

Juan Ángel Bellón^{1,24*}, Sonia Conejo-Cerón², Patricia Moreno-Peral², Michael King³, Irwin Nazareth⁴, Carlos Martín-Pérez⁵, Carmen Fernández-Alonso⁶, María Isabel Ballesta-Rodríguez⁷, Anna Fernández⁸, José María Alarzagüena⁹, Carmen Montón-Franco¹⁰, Inmaculada Ibanez-Casas¹¹, Emiliano Rodríguez-Sánchez¹², Antonia Rodríguez-Bayón¹³, Antoni Serrano-Blanco⁸, María Cruz Gómez¹⁴, Pilar LaFuente¹⁵, María del Mar Muñoz-García², Pilar Mínguez-Gonzalo¹⁶, Luz Araujo², Diego Palao¹⁷, Maite Espinosa-Cifuentes¹⁴, Fernando Zubiaga¹⁸, Desirée Navas-Campana², Juan Mendive¹⁹, Jose Manuel Aranda-Regules²⁰, Alberto Rodríguez-Morejón²¹, Luis Salvador-Carulla²² and Juan de Dios Luna²³



Journal of Evaluation in Clinical Practice ISSN 1356-1294

Fluoxetine and imipramine: are there differences in cost-utility for depression in primary care?

Antoni Serrano-Blanco PhD,¹ David Suárez MSc,² Alejandra Pinto-Meza PhD,³ María T. Peñarrubia MD,⁴ Josep Maria Haro PhD⁵ and the DAPGA Group (Depressió en Atenció Primària de Gavà)

¹Psychiatrist, ²Psychologist, Sant Joan de Déu-Serveis de Salut Mental, Fundació Sant Joan de Déu, Sant Boi de Ll., Barcelona, and RedIAPP Primary Care Research Network, Barcelona, Spain

³Statistics, Sant Joan de Déu-Serveis de Salut Mental, Fundació Sant Joan de Déu, Sant Boi de Ll., Barcelona, and CIBER-SAM, Centro de Investigación Biomédica en Red en Salud Mental, Madrid, Spain

⁴Primary care physician, RedIAPP Primary Care Research Network, Barcelona, and Primary Care Health Center Gavà II. Costa de Ponent Teaching Unit, Catalan Health Service, Gava, Spain


⁵Psychiatrist, Sant Joan de Déu-Serveis de Salut Mental, Fundació Sant Joan de Déu, Sant Boi de Ll., Barcelona, Spain



Contents lists available at ScienceDirect

Journal of Affective Disorders

journal homepage: www.elsevier.com/locate/jad



Impact of initial medication non-adherence to SSRIs on medical visits and sick leaves

Ignacio Aznar-Lou^{a,b,c}, María Iglesias-González^d, Montserrat Gil-Girbau^{a,c,e}, Antoni Serrano-Blanco^{b,d}, Ana Fernández^{b,f}, María Teresa Peñarrubia-María^{b,g}, Ramón Sabés-Figuera^{b,h}, Ana Gabriela Murruarraga-Centurión^a, Marian March-Pujol^{b,c}, Mireia Bolívar-Prados^c, María Rubio-Valera^{a,b,c,*}

Zabalaeta-del-Olmo et al. BMC Public Health (2016) 16:674
<https://doi.org/10.1186/s12889-018-5805-y>

BMC Public Health

STUDY PROTOCOL

Open Access



Complex multiple risk intervention to promote healthy behaviours in people between 45 to 75 years attended in primary health care (EIRA study): study protocol for a hybrid trial

Edurne Zabalaeta-del-Olmo^{1,2,3,4*}, Haizea Pombo⁵, Mariiona Pons-Vigués^{1,3,4}, Marc Casajuana-Closas^{1,3}, Enriqueta Pujol-Ribera^{1,2,3,4}, Tomás López-Jiménez^{1,3}, Carmen Cabezas-Peña⁶, Carme Martín-Borràs^{7,8}, Antoni Serrano-Blanco^{9,10}, María Rubio-Valera^{9,10}, Joan Llobera¹¹, Alfonso Leiva¹¹, Clara Vidal¹¹, Manuel Campíñez¹², Remedios Martín-Alvarez¹², José-Ángel Maderuelo¹³, José-Ignacio Recio^{13,14}, Luis García-Ortiz^{13,15}, Emma Motrico¹⁶, Juan-Ángel Bellón^{17,18,19,20}, Patricia Moreno-Peral^{17,18}, Carlos Martín-Cantera^{1,3}, Ana Clavería²¹, Susana Aldecoa-Landesa^{21,22}, Rosa Maquillón-Botaya²³ and Bonaventura Bolíbar^{1,3}



Contents lists available at ScienceDirect

Journal of Affective Disorders

journal homepage: www.elsevier.com/locate/jad



Research report

Costs of depression in Catalonia (Spain)

Luis Salvador-Carulla^{a,*¹}, Murielle Bendeck^{b,1}, Anna Fernández^{c,1}, Constança Alberti^{d,1}, Ramón Sabés-Figuera^{e,1}, Cristina Molina^{f,1}, Martin Knapp^{e,1}

^a Asociación Científica PSICOST, Cádiz, Spain

^b InGen Consulting Group, Barcelona, Spain

^c Research and Development Unit, Sant Joan de Déu - Serveis de Salut Mental, Barcelona, Spain

^d Institut Català d'Assessments Mèdics, Barcelona, Spain

^e King's College London, Institute of Psychiatry, London, United Kingdom

^f Mental Health Master Plan, Departament de Salut, Barcelona, Spain

Gracias!

mrubio@pssjd.org

aseerrano@pssjd.org

i.aznar@pssjd.org